

Project:	Type:
	Comments:



### Highlights


The TechoLED Magnetic Track System is a creative and flexible architectural lighting solution. The track has virtually unlimited capability to create shapes and patterns, from simple rectangles to complex curves and circles, including custom radii with both the track and the illuminated modules. Light components, ranging from solid linear, louvre, and wall washer to adjustable spotlights and pendant cylinders, snap into the track magnetically and can be repositioned by hand without tools. It is a superb and creative lighting solution for any modern interior.

**LED:** Osram & Cree LED Chips, 2700-5000K, dim-to-warm and tunable white available, 90+ CRI


**OPTICAL:** Direct illumination, 120° beam angle

**CONSTRUCTION:** High grade aluminum extrusion, PC diffuser, powder coat finish, custom finishes available, 24V remote driver

### Cross Section



### Installation



Project:	Type:
	Comments:

### Configuration Example

Model #	Lumen Output	Color Temp.	Finish	Contr. Options
TECHOLED-MT-SL-13-ME-30-W-X	Medium	3000K	White	None (single)

### Ordering Guide:

Select one option from each group below. For a custom preference please contact [sales@techoled.com](mailto:sales@techoled.com)

1-FIXTURE ID	2-LUMEN OUTPUT	3-COLOR TEMPERATURE	4-FINISH
MT-SL-13	<b>ME</b> Medium	<b>27</b> 2700K	<b>B</b> Black
MT-SL-26		<b>30</b> 3000K	<b>W</b> White
MT-SL-39		<b>35</b> 3500K	<b>C</b> Custom (RAL#)
		<b>40</b> 4000K	
		<b>50</b> 5000K	
		<b>D</b> Tunable White	
		<b>DM</b> Dim to Warm	

#### 5-CONTROLLER OPTIONS

- X** None
- DC** Double Circuit
- CA** Casambi
- DA** Dali
- WL** Wireless

Project:	Type:
	Comments:

### Lumen Output Details

Model #	Output	Color Temp.	Wattage	Lumen Output
TECHOLED-MT-SL-13-ME-30-W-X	Medium	3000K	13W	780Lm
TECHOLED-MT-SL-26-ME-30-W-X	Medium	3000K	26W	1600Lm
TECHOLED-MT-SL-39-ME-30-W-X	Medium	3000K	39W	2500Lm

Performance above applies to 90CRI, 3000K. Calculate 96% for 2700K, 104% for 3500K and 109% for 4000K.

### Performance

Output	Lumens / W
Medium	61

### Fixture ID Details

Code	Description
MT-SL-13	13W Solid Linear Module
MT-SL-26	26W Solid Linear Module
MT-SL-39	39W Solid Linear Modul


### Controller Options Details

Code	Description
X	None - only works with Single Circuit track
DC	Double Circuit - only works with Double Circuit track
CA	Casambi - only works with Casambi Circuit track
DA	Dali - only works with Casambi Circuit track and Dali driver
WL	Wireless




Project:	Type:
	Comments:

### Dimension and Mounting

#### TECHOLED-MT-SL-13





FIXTURE ID	A	B	C
MT-SL-13	12.6"	1.33"	2.12"



#### TECHOLED-MT-SL-26



FIXTURE ID	A	B	C
MT-SL-26	25.19"	1.33"	2.12"





Project:	Type:
	Comments:

■ **TECHOLED-MT-SL-39**




FIXTURE ID	A	B	C
MT-SL-39	37.71"	1.33"	2.16"




Project:	Type:
	Comments:

### Photometrics


#### TECHOLED-MT-SL-13-13W-2700K




#### TECHOLED-MT-SL-26-26W-2700K



#### TECHOLED-MT-SL-26-26W-3000K




#### TECHOLED-MT-SL-39-39W-2700K



Project:	Type:
	Comments:


■ **TECHOLED-MT-SL-39-39W-3000K**




Project:	Type:
	Comments:

### Finish Details (powder coat finish)

#### ■ Standard Colors



W – White



B – Black

#### ■ Custom Colors



RAL 1003



RAL 2004



RAL 3000



RAL 4001



RAL 5002



RAL 6000



RAL 6038



RAL 7001



RAL 1036




RAL 8029

Any RAL color available, please refer to [ralcolorchart.com](http://ralcolorchart.com)


#### ■ Custom Wooden Colors



American Walnut



Cherry



Maple



Light Oak




Palisander Santos

Project:	Type:
	Comments:

### Color Temperature

#### Color Temperature



#### Tunable White

